WORLD BIOGAS ASSOCIATION

Biogas Insight

FOOD WASTE RECYCLING

Anaerobic Digestion – unlocking the value in your organic waste

Authors: **Kavya Koonampilli** - Lead Analyst, **Karina Navarro** - Policy Analyst



Introduction


WORLD BIOGAS ASSOCIATION

A new era for waste management

Globally, we are entering a new era for waste management. Linear systems that treat waste as something to be burnt or buried are no longer acceptable, and around the world, authorities are waking up to the fact that we must treat wastes as resource/s.

Organic waste streams arising from households and hospitality, farming, food and drink manufacture and sanitation are a major global problem. These waste streams emit methane if not properly treated and processed. Methane emissions are currently responsible for ~30% of global warming.[1]

One hundred and fifty-nine countries and the European Commission have signed up to the Global Methane Pledge, to reduce methane emissions from human activity by 30% against 2020 levels by 2030.[2]



Anaerobic digestion (AD) is a waste-recycling process that breaks down biodegradable organic waste under oxygen-free conditions.

[1] www.iea.org/reports/global-methane-tracker-2022/methane-and-climate-change
[2] www.globalmethanepledge.org

Continued>

Introduction

WORLD BIOGAS ASSOCIATION

Treating **unavoidable food waste** through **AD** is a practical, scalable way to cut methane emissions, part of a much bigger opportunity **across the food chain** to deliver around **50% of the Global Methane Pledge** and with it energy, food and climate security through the production of:

Biogas/Biomethane. Biogas can be used to produce renewable electricity or upgraded to produce biomethane, suitable for domestic heat or transport fuel.

Bio-CO_2. A stream of gas suitable for industrial use or storage, reversing greenhouse gas (GHG) emissions.

Biofertiliser (digestate). An organic fertiliser which recovers nutrients found in all food waste and returns them to land, again reversing GHG emissions from the production of mineral fertiliser.

Anaerobic digestion delivers climate stability by turning a GHG emitter into a raft of renewable products to replace their fossil equivalents and creates millions of skilled jobs in the process.

Through proper resource management, we can extract every ounce of value from these wastes, feed this back into the systems from which they came, contributing to energy, food and climate security.



The problem

WORLD BIOGAS ASSOCIATION

Global Food Waste

On-farm food waste 1.2 Billion tonnes[3]

The WWF estimate that 15% of all food produced globally is lost at the farm stage. This happens for many reasons such as market conditions, poor infrastructure, poor agricultural practices, pests, disease, natural disasters and weather events. By taking into account all on-farm food waste, the WWF estimates that up to 40% of all food produced and purchased is wasted, 10% higher than previously thought.

Post-farm gate

Each year, the world produces an estimated **1.05 billion** tonnes of post-farm gate food wastes[4]:

Household: 631 Mt (60%)

Food service: 290 Mt (28%)

Retail: 131 Mt (12%)

"Recycling food waste through AD delivers 15% of the Global Methane Pledge"

1.2 billion tonnes + 1.05 billion tonnes = 2.25 billion tonnes of food waste.

[3] https://wwfeu.awsassets.panda.org/downloads/driven_to_waste___the_global_impact_of_food_loss_and_waste_on_farms.pdf

[4] UNEP Food Waste Index Report 2021 www.unep.org/resources/publication/food-waste-index-report-2024 and WWF Driven to Waste: The Global Impact of Food Loss and Waste on Farms www.wwf.org.uk/food/waste/farms

The problem

WORLD BIOGAS ASSOCIATION

Emissions from waste: Methane (CH_4)

Emissions over time

When food waste is sent to landfill, it can take years to breakdown and its impact accumulates as more waste is piled on top. Organic wastes thrown away as far back as 75 years ago continue to emit methane, exposing the impact that poor management of food waste continues to have on our climate both now and into the future.

Food waste needs to be diverted immediately to reduce emissions not just next year, but for years to come.

10,000 tonnes



Every 1 million tonnes of food waste sent to landfill...


... releases 24,000 tonnes of methane...

... these emissions are equivalent to releasing nearly 2 million tonnes of carbon dioxide – equal to the annual emissions of 950,000 cars.

The problem

WORLD BIOGAS ASSOCIATION

Household Food Waste Per Person Per Year[5]



"Our global food system is broken: one third of all food is wasted, yet many people around the world suffer from food insecurity. Food is among the largest drivers of the global climate crisis.."

C40 Cities

[5] www.unep.org/resources/publication/food-waste-index-report-2024

The problem

WORLD BIOGAS ASSOCIATION

Global food systems: Emissions from waste

An estimated 8–10% of global greenhouse gas emissions are associated with food waste, at an estimated cost of US$1 trillion.[6]


Though waste management accounts for 10% of GHG emissions within the global food chain, i**t is responsible for 58 Mt CH_4 each year – that's a quarter of all methane emissions** throughout the food supply chain.

Over a 20-year period, methane (CH_4) is up to **80-82 times more potent** than carbon dioxide (CO_2) as a greenhouse gas[7]

"A staggering one-third of all food produced globally is lost or wasted"

UNEP

Global Methane Emissions from Food Systems



[6] https://unfccc.int/news/food-loss-and-waste-account-for-8-10-of-annual-global-greenhouse-gas-emissions-cost-usd-1-trillion

[7] IPCC Sixth Assessment Report, 2023 www.ipcc.ch/report/ar6/wg1/#SPM

The solution

WORLD BIOGAS ASSOCIATION


Waste management

Food waste can be managed in a number of ways – the waste hierarchy orders these options from best to worst available.

Prevention is always most preferable, including the redistribution of food to people and animals, where possible.[8]

The remaining food is classed as 'waste' which can be:

- Recycled via **anaerobic digestion (AD) [most preferable]** or compost
- Recovery via incineration (also known as Energy from Waste, EfW)
- Disposal via landfill



[8] https://globalbiogasframework.org/pillar-2/

The solution

WORLD BIOGAS ASSOCIATION

Food waste management: Options available

Unsustainable

Linear economy promoting the single use of resources

Sustainable

Circular economy promoting the recycling of resources



Landfill

- Responsible for nearly 12% of global methane emissions, air and water pollution
- Landfill tax makes current and future use an expensive option, in support of organics diversion
- LFG capture and utilisation must be treated as a durable, funded pillar of national methane strategies, to address current emissions.



Incineration

"Don't invest in solid waste incineration" recommends C40 Cities **https://bit.ly/2OwlC81**,

"It is expensive, inefficient, requires strict environmental regulation, emits GHGs, and locks cities into producing high volumes of waste to 'feed' the incinerator."



Compost

- Converts food waste into a valuable fertiliser
- Minimises methane emission as waste decomposes
- **However, it does not generate any green energy...**



Anaerobic digestion (AD)

- **Converts food waste into renewable energy, preventing methane emissions**
- Recovers valuable fertiliser in the form of digestate
- Captures biogenic CO_2, suitable for industrial use or permanent storage, reversing emissions.

The solution

WORLD BIOGAS ASSOCIATION

Wasted value

1.05 billion tonnes of post-farm gate food waste produced each year recycled through AD would recover...

1,159 TWh of biogas



This could...

- Heat **96 million** homes,
- Power **374 million homes** or,
- Fuel **12% of the worlds trucks and buses**

Carbon savings: 236 Mt CO_2e

6 million tonnes of nitrogen



This could...

- Grow **227 million tonnes** of wheat
- Produce **5% of globally applied nitrogen**

Carbon savings: 34 Mt CO_2e

177 million tonnes of bio-CO_2



This could...

- Provide **approximately 79%** of all CO_2 used globally
- Boost renewable fuel production, increase greenhouse crop yields, be sent for geologically stored, or used in other industrial processes

Carbon removals: < 177 Mt CO_2e

The business case

WORLD BIOGAS ASSOCIATION

The greenhouse gas savings


By processing food waste through AD, countries around the globe can contribute to energy and food security, while mitigating methane and carbon emissions through three significant pathways[9]:

- Direct GHG emissions from sending food waste to landfill
- Abated GHG emissions from green energy production
- Abated GHG emissions from using organic fertiliser in place of energy-intensive artificial fertiliser

AD is the only technology that can produce renewable energy, fertiliser and bio-CO^2.

Decarbonising waste:

One tonne of food waste cuts...



[9] Based on UK emissions data. www.wrap.ngo/resources/report/uk-food-waste-food-surplus-key-facts

The business case


WORLD BIOGAS ASSOCIATION

The cost savings

The AD industry stands at the heart of the circular economy. For the economic, environmental and social benefits it delivers, the guardians of the Paris Agreement call AD reactors a 'win win win win win' technology and say it's capacity to reduce methane emissions is the fastest and most economic way to keep global warming below 2˚C.

While the direct cost savings vastly around the world, by making use of organic wastes, countries can address waste and sanitation concerns while at the same time generating renewable electricity, gas, and cooking fuel - thus reducing reliance on costly imports or multiple infrastructure.

The **Global Methane Assessment** outlines the benefits of mitigating methane, a key ingredient in smog, which include preventing some 260,000 premature deaths and 775,000 asthma-related hospital visits annually, as well as 25 million tonnes in crop losses.[10]



"Given the wide range of impacts from methane, the societal, economic, and environmental benefits of acting are numerous and far outweigh the costs.

Global Methane Assessment

[10] https://wedocs.unep.org/items/4d9774f8-1a9d-42d1-be2c-122408159b15

The business case

WORLD BIOGAS ASSOCIATION

One 7.5 MW-capacity food-waste plant annually delivers...

	Organic waste management	Biofertiliser also known as digestate	Renewable biogas ~60%	Renewable biogas ~40%
			Biomethane also known as Renewable Natural Gas (RNG)	**Bio-CO_2**
Uses:	Prevent methane emissions from waste Recycles valuable nutrients back into food production	Nitrogen, Phosphate and Potassium fertiliser Soil conditioner and carbon sequestration	Heat and cooking Transport	Food packaging and animal slaughter Drinks carbonation
Amount:	**55,000 tonnes** of organic waste recycled	**45,000 tonnes** of digestate	**60 GWh** energy	**9,200 tonnes** bio-CO_2
Carbon savings:	**33,920 tonnes CO_2e** from avoided methane emissions	**1,860 tonnes CO_2e** from displaced artificial fertiliser	**12,360 tonnes CO_2e** From displaced fossil natural gas	**9,200 tonnes CO_2e** Available for Carbon Capture Use and Storage (CCUS)

Total carbon savings: 57,340 tonnes CO_2e per year

Global action

WORLD BIOGAS ASSOCIATION

Global Action & Case Studies

- Global Action
- C40 Cities; San Francisco (case study)
- World Bank; Ningbo (case study)
- GMI
- Global Biofuels Alliance
- #MakingBiogasHappen




WORLD BIOGAS ASSOCIATION

Global action

As governments wake up to the increasing need for urgency of climate action and realise the valuable resources contained within their food waste, policy and support has emerged.

The Global Methane Pledge, the Paris Agreement, and the Sustainable Development Goals are global initiatives designed to tackle root causes of climate change, and a suite of complementary policies have been enacted regionally and nationally to support increased recycling of food waste.

Efforts to **reduce food waste**, ensure **proper waste treatment**, and **encourage the use of AD co-products** are being enshrined in both legally-binding policy and voluntary initiatives. As a result, more food waste is being recycled than ever before in Europe, but globally, **overall recycling rates remain alarmingly low** at less than 2%.



WORLD BIOGAS ASSOCIATION

Global top performers

Recycling rates measure a country's progress towards waste and resources targets. Data collected by the World Bank estimates that the food waste content of household bins sits at an average of 40%, but could be as high as 88% in some countries.

Separate food waste collections are the most efficient way to reach national recycling targets. The top five countries with the highest recycling rates have achieved it through a range of measures. All top performers have supportive policies driving food waste collections.[11,12]

Germany	Austria	South Korea	Wales	Switzerland
Recycling rate: 56.1%	Recycling rate: 53.8%	Recycling rate: 53.7%	Recycling rate: 52.2%	Recycling rate: 49.7%

Supporting policies

- Ban on biodegradable waste to landfill/ incineration
- Widespread separate food waste collections
- Mandatory municipal waste recycling targets
- Disposal charges

[11] https://datacatalog.worldbank.org/search/dataset/0039597/what-a-waste-global-database
[12] https://eunomia.eco/reports/recycling-who-really-leads-the-world-issue-2/

WORLD BIOGAS ASSOCIATION

C40 Cities

C40 Cities is a network of 96 world city leaders (Mayors) committed to fighting climate change and driving circular systems. The group represents 920+ million people and 23% of the global economy. They drive this work through a number of **High-Impact Accelerators**.


The C40 Towards Zero Waste Accelerator focuses on waste management, with the underlying principle that sustainable, prosperous and liveable cities of the future will ultimately need to be zero-waste. **68% of the global population is projected to live in mega-cities by 2050. (UN)**. Actions from signatories include the rollout of separate food waste collections, construction of infrastructure, grant funding for disadvantaged communities, and food waste reduction strategies.[13]

C40 CITIES

Signatories to the Zero Waste Accelerator:
Auckland, Boston, Copenhagen, London, Los Angeles, Melbourne, Milan, Montreal, New York City, Paris, Philadelphia, Portland, Rotterdam, San Francisco, Stockholm, Sydney, Tel Aviv – Yafo, Tokyo, Toronto, Vancouver, Washington DC.


[13] www.c40.org/accelerators/zero-waste

Cities with segregate collection



All 21 signatories are actively moving towards segregate collection, with the majority having at least 2 waste streams or more, and 6 cities having fully rolled out collection for food waste.

240 actions reported by signatories



WORLD BIOGAS ASSOCIATION

C40 Cities: Milan

C40 CITIES

Milan is often hailed as the world-leader in city food waste recycling, having been the first established a successful recycling programme across the city in just two-years.

Milan provides the largest food waste collection programme in any European city. It successfully provides weekly food waste collections to 1.3 million inhabitants, over 80% of whom live in high-rise apartments, which contributes to its 58.8% recycling rate in 2021.

Food waste is recycled at a local anaerobic digestion and composting plant to produce biogas, which can be injected into the grid or used to fuel waste collection vehicles, and compost, which is then sent to local farms and households.[14,15]

Snapshot of the city

- >1.3 million residents
- 130,000 tons recycled
- 11,200,000 m^3 biogas produced
- 58.8% separation rate
- 26,000 tons of compost



[14] https://zerowastecities.eu/wp-content/uploads/2021/11/Milan-Case-Study-1.pdf
[15] https://tinyurl.com/ypehn699

WORLD BIOGAS ASSOCIATION

World Bank: Ningbo, China

THE WORLD BANK
IBRD • IDA

Ningbo Municipal Solid Waste Minimization and Recycling Project

In 2013, the World Bank approved a loan of **US$80 million** to the People's Republic of China to improve municipal solid waste management in Ningbo City, to address the lack of transport, sorting and recycling infrastructure, policy development and public awareness programmes.

The City was able to construct an **AD facility** processing food waste and wastewater to serve **3 million people**, along with **six** waste transfer stations, a waste sorting facility, and deploy **357** waste collection vehicles.

The project was a huge success, and resulted in a drastic uptake of waste collections and recycling rates shot up.[16]

Value of loan: US$80 million

Recycling rate: 0 - 17.5%

Capacity: 130,000 tonnes a year

GHG savings: 46,000 tonnes/year

Number of households reached: 905,000

"This achievement is by far the most impressive in the relevant Bank portfolio for any city."
World Bank

[16] https://documents1.worldbank.org/curated/en/878751622737441606/pdf/China-CN-Ningbo-Municipal-Solid-Waste-Recyclin.pdf

WORLD BIOGAS ASSOCIATION

Global Methane Initiative

Launched in 2004, the Global Methane Initiative is an international public-private initiative that progresses short term methane abatement by attempting to overcome barriers to the recovery and use of methane in three sectors: Oil and gas, Biogas and Coal Mines.

One area of focus for GMI is in the municipal solid waste sector, and it has produced a tool to help users estimate emissions associated with waste management, from waste collection and transportation through to waste handling equipment.

By using the Solid Waste Emissions Estimation Tool (SWEET), decision-makers can evaluate and compare tailored waste management scenarios to assess emissions of methane, black carbon, and other pollutants from across the sector.[17]

"By using SWEET[18], the municipality of Naucalpan de Juárez, Mexico was able to assess a range of emission abatement scenarios and demonstrate the benefits of diverting organic wastes to AD.

The data from sweet was used to demonstrate technical and economic feasibility to secure funding of ~$100 million USD."



[17] https://globalmethane.org
[18] www.ccacoalition.org/news/sweet-tool-sparks-change-cities-around-world-measuring-monitoring-and-mitigating-waste-emissions

WORLD BIOGAS ASSOCIATION

Global Biofuels Alliance

The Global Biofuels Alliance (GBA) is an international coalition launched in 2023 at the G20 Leaders' Summit in New Delhi to accelerate the global adoption and standardisation of sustainable biofuels.

It consists of 35 countries and 14 international organisations as members. WBA is a founding member.

The Global Biofuels Alliance (GBA) helps address the global food waste problem by driving a strategic shift toward second generation feedstock-based advanced biofuels (using foodwaste, agri residues) instead of first-generation feedstocks like corn and sugarcane, which directly compete with the human food supply and fuel global hunger.[19]



"With an unwavering commitment to green sustainability, the adoption of biofuels and biogas is an absolute necessity for an environmentally sustainable future."

Hon Shri Hardeep Singh Puri,
Minister of Petroleum and Natural Gas,
Republic of India

[19] https://biofuelsalliance.com/publications

WORLD BIOGAS ASSOCIATION

#MakingBiogasHappen

#MakingBiogasHappen — PROGRAMME

#MakingBiogasHappen is a flagship initiative by the World Biogas Association to facilitate scale up of biogas industry as fast, safely and professionally as possible. This industry is crucial to the repurposing of food waste generated globally

It supports the development of policy, regulations and standards, creating an enabling environment for investment and growth.

In 2025, the initiative delivered a model Global Biogas Regulatory Framework and Anaerobic Digestion Certification Scheme International (ADCS Intl.)

WBA is currently supporting national and sub-national governments in India, Brazil and Mexico to use and adapt these frameworks, to strengthen local policy, update regulatory systems and adopt essential technical standards.[20]

[20] www.worldbiogasassociation.org/mbh



"Our aim is simple: to help move the global biogas sector from fragmentation to industrialisation through harmonisation - helping governments adopt proven approaches instead of reinventing the wheel through recognised international frameworks and standards."

Charlotte Morton OBE, Chief Executive, World Biogas Association

WORLD BIOGAS ASSOCIATION

Conclusion

- Tackling global food waste through AD would reduce global methane emissions by 15%.
- Extending this along the food chain – from farm to fork – would deliver 50% of the Global Methane Pledge to cut methane emissions by 30% against 2020 levels by 2030. The COP 31 Action Agenda on Waste provides an important opportunity to accelerate this transition.
- By treating these wastes through AD enough biomethane would be produced to meet 20-25% of current global natural gas demand. It would also recover enough minerals and nutrients to replace 10-15% of current mineral fertiliser demand.
- With food waste making up 44% of global municipal waste, tackling this stream will be key to a zero waste future.



"Zero waste is the most powerful path opening the door to genuine transformation in every field, from production to consumption"

Turkish first lady Emine Erdogan, Honorary President of the Zero Waste Foundation

WORLD BIOGAS ASSOCIATION

Join a winning team and help put the world on track to keep global warming below 2°C, ideally 1.5°C.

Contact us to find out what value WBA can deliver for you and your organisation.

+44 (0) 203 176 4414 e **info@worldbiogasassociation.org**